Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



MEMBER American Association of Nurserymen Southern Nurserymen's Association Tennessee State Nurserymen's Association Société Dendrologique de France Deutsche Dendrologische Gesellschaft, etc. etc.

No. 46

Season 1927-1928



PRICE LIST

Conifers, Forest

and Ornamental Trees,
Shrubs, Palms,
Fruit Trees

and
Roots and Seeds

of
Medicinal Plants

Registered
Cable
Address
Treeseeds
Atlanta, Ga.



Codes
A B C
4th & 5th
Editions
Universal
Rud. Mosse

Private

Otto Katzenstein & Co.

TREE SEEDS SPECIALISTS
109 Druid Circle, N. E.

P. O. Box 259

ATLANTA, GEORGIA, U. S. A.

THE FOLLOWING CONDITIONS GOVERN ALL TRANSACTIONS:

THE PUBLICATION OF THIS LIST CANCELS ALL PREVIOUS OUOTATIONS.

1.37

IMPORTANT

WE HAVE DISCONTINUED CHARGES FOR THE REGULAR BAGGING AND PACKING OF SEED ORDERS AND WE ONLY CHARGE FOR THE PACKING OF EXPORT SHIPMENTS UNDER SPECIAL INSTRUCTIONS.

TERMS: Cash. Thirty days net or 2% discount for cash within ten days from date of invoice to domestic book customers. We expect remittance with order or other arrangements, satisfactory to us, from our foreign customers. PRICES ARE QUOTED AND REMITTANCES ARE EXPECTED IN U. S. MONEY.

ALL SHIPMENTS travel at customer's risk. After having taken receipt of transportation companies we are not responsible for delays, losses or injury to shipment while in transit. Customer's redress is with transportation companies only.

PARCEL POSTAGE. Domestic rates are governed by zone tariff. Parcel postage into foreign countries is 14c per pound or fraction of pound. In addition to this a number of countries require payment of a surtax. Remittances should cover sufficient amounts for postage, etc.

NON-WARRANTY. We use the greatest care to have all our seeds, bulbs, plants, etc., pure and reliable, but they are sold without warranty and without any responsibility, express or implied, in respect to the crop. All sales are made under these terms. We are under no circumstances to be held responsible beyond the invoiced value of our goods and WE CANNOT, UNDER ANY CIRCUMSTANCES, CONSIDER ANY CLAIM AFTER THE GOODS HAVE BEEN PLANTED. All claims must be made on receipt of goods.

This list is published before the actual extent of some crops of tree and shrub seeds, offered in it, is known and our acceptance of orders is not a warranty for delivery but is subject to crop accidents and limitations of crops. Failing to receive the full amounts ordered from our collectors and growers we reserve the right to reduce proportionately all orders which have been booked or to fill orders in rotation while the supply lasts.

Conifers

Half ounce and quarter pound at ounce and pound rates, respectively. No seeds invoiced for less than 15 cents. No invoice for less than 25 cents. Quotations on large quantities given by letter.

letter.	0	,	
	oz.	LB.	
ABIES arizonica, Silver Cork Fir	1.50、	14.00	
" balsamea, Balsam Fir	.45	4.00	
brachyphylla, see homolepis cephalonica, Greek Fir			
" cephalonica, Greek Fir	.40	3.60	
concolor, white I ii, from colorado	.30	2.80	
Concoror violacea	.40	3.80	
IIIIIa, Willia III	.35	3.00	
masen, Fraser Fil	.45	4.00	
grandis, Great Silver Fit	.60	5.50	
HUHIUICDIS, INIKKU I'II	.35	3.25	
" magnifica, Red Fir mariesi, Maries Fir magnification magnifi	.55 .40	5.00 3.80	
" nobilis, Noble Fir	.70	6.00	
" nordmanniana, Nordmann Fir	.45	4.00	
" pectinata, European Silver Fir	.25	2.20	
" pinsapo, Spanish Fir	.45	3.80	
" religiosa, Oyamel Fir	.70	6.50	
" veitchi, Veitch Fir	.45	4.00	
Voteni, Voten 211	100s	1000s	
ARAUCARIA brasiliana, Brazilian Araucaria	2.00	18.00	
" bidwilli, Bunya-Bunya	6.00		
" excelsa, Norfolk-Island Pine	2.00	16.00	
" imbricata, Monkeypuzzle	1.50	13.00	
	oz.	LB.	
CEDRUS atlantica, Atlas Cedar	.40	3.50	
" atlantica glauca	.55	5.00	
" deodara, Deodar	.40	3.50	
" libani, Cedar of Lebanon	.40	_3.50	
CEPHALOTAXUS drupacea, Japanese Plum-Yew	.30	2.90	
CHAMAECYPARIS lawsoniana, Lawson Cypress	.50	4.60	
" obtusa, Kinoki C.	.35	3.00	
" pisifera, Sawara Retinospora	.35	3.00	
CRYPTOMERIA japonica, Common C.	.30	2.50	
CUNNINGHAMIA lanceolata (sinensis) Chinese-			
Fir	.45	4.20	
CUPRESSUS arizonica, Arizona Cypress	.40	3.50	
" benthami, Bentham C. (from Old Mexico)	.75	6.50	
" benthami, Imported	.45	4.20	
" funebris, Mourning C.	.30	2.80	
" glabra, Smooth C.	.35	3.20	
" goveniana, Gowen C.	.60	5.00	
" lusitanica, Portuguese C.	.65	6.00	
." macrocarpa, Monterey C	.35	3.40	
" sempervirens, Italian C. (Domestic Seed)	.45	4.20	
" sempervirens, Imported	.35	3.00	
" s. fastigiata, Pyramidal I. C. (domestic)	.50	4.60	
" s. fastigiata, Imported	.35	3.20	
" s. horizontalis, Spreading I. C. (domestic)	.45	4.00	
" s. horizontalis, Imported	.35	3.20	
GINKGO biloba, Maidenhair-tree	.15	1.25	
JUNIPERUS californica, California J.	.35	3.00	
" cedrus	.70	6.00	
" chinensis, Chinese J.	.30	2.65	
" communis, Common J.	.20	1.60	
" communis canadensis, Prostrate J	.25	2.00	

" communic mentana (nana) Mauntain I	OZ.	LB.
	.25	2.00
conterta (ittorans) Shore J	.25	2.25
excelsa. Greek Tuniber	.25	2.25
" monosperma, Cherrystone J. "sabina, Savin	.30	2.65
" sabina, Savin	.30	2.65
Sabinoides	.25	2.20
" scopulorum, Colorado J" " virginiana, Redcedar, Platte River type	.25	2.00
" virginiana, Redcedar, Platte River type	.15	1.10
" virginiana, Southern type	.15	1.00
LARIX dahurica, Dahurian Larch	.45	4.20
" europaea, European L	.35	3.00
" leptolepis, Japanese L.	.45	4.80
" occidentalis, Western L	.60	5.50
" sibirica, Siberian L	.45	4.20
LIBOCEDRUS decurrens, California Incense-Cedar	.40	3.50
PICEA alcockiana, Alcock Spruce	.70	6.40
" canadensis (alba), White Spruce	.75	6.50
" canadensis, Black Hills S	1.00	8.50
" canadensis albertiana, Alberta Black Hills S	.75	6.50
" engelmanni, Engelmann Spruce	.80	7.50
" excelsa, Norway Spruce	.30	2.35
" omorika, Serbian S		
" orientalis, Oriental S.	1.00	10.00
" polita, Tigertail S.	.70	6.00
" pungens, Colorado S. (North Colo.)	.75	7.00
" pungens glauca, Colorado Blue S	1.20	9.00
" sitchensis (menziesi) Sitka S	1.20	8.50
PINUS attenuata (tuberculata) Knobcone Pine	.70	6.00
" austriaca, see P. nigra	.,,	0.00
" ayacahuite, Mexican White P. (Mexico)	.60	5.50
" banksiana, Tack Pine	.60	5.50
" bungeana, Lacebark P.	.45	4.00
" canariensis, Canary P.	.35	3.00
" caribaea, Slash P.	.75	7.00
" cembra, Swiss Stone P.	.25	2.00
" cembroides, Mexican Stone P. (Old Mexico)	1.00	9.00
" contorta, Shore P.	.70	6.50
" densiflora, Japanese Red P	.30	2.60
" echinata (mitis), Shortleaf P.	1.00	8.00
" edulis, Nut P. (Pinyon)	.20	1.65
" excelsa, Himalayan P.	.45	4.20
" flexilis, Limber P.	.45	4.20
" halenensis Alenno P	.30	2.40
" halepensis, Aleppo P	1.40	12.00
" inops, see Pinus virginiana		
" insignis, see P. radiata		
" jeffreyi, Jeffrey P	.30	2.50
" koraiensis, Korean P.	.30	2.50
" lambertiana, Sugar P.	.25	2.25
" laricio, Corsican P.	.35	3.20
" laricio austriaca, see P. nigra		
" leiophylla, Chino P. (Old Mexico)	1.00	9.00 🖯
" maritima, see P. pinaster		
" massoniana, see densiflora		
" montana, Swiss Mountain Pine	.30	2.65
" montana mughus Mugho P (many-branched)	.40	3.80
" montezumae, Montezuma P. (Old Mexico)	1.20	10.00 🌣
"montezumae, Montezuma P. (Old Mexico) "monticola, Western White P	.75	6.80
" muricata, Bishop P.	.70	6.50
" nigra, Austrian P.	.35	3.00
J,		

7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	77.
	oz.	LB.
" palustris, Longleaf P.	.40	3.40
" patula, Telecote P. (Old Mexico)	.80	7.00
" peuce, Macedonian P.	.45	4.00
": pinaster (maritima), Cluster P.	.15	1.35
" pinea, Italian Stone P.	:15	1.35
" ponderosa, Western Yellow P. Colorado	: :30	2,65
" pseudostrobus (Old Mexico)	1.20:	10.00
" radiata (insignis) Monterey P. " resinosa, Red P. "	.45	4.00
" resinosa, Red P.	1.60	14.00
" rigida, Pitch P. " sabiniana, Digger P. "	.85	7.50
" sabiniana, Digger P.	20	1.70
" serotina, Pond P	80	7.00
" strobiformis, see P. ayacahuite		11
" strobus. White P	45	4.00
" sylvestris, Scotch P. " taeda, Loblolly P. Oldfield P.	.30	2.80
" taeda, Loblolly P. Oldfield P.	.75	7.00
teocote (Old Mexico)	1.20	10,00
"thunbergi, Japanese Black P.	.30	2.40
"tuberculata, see P. attenuata	*; =	
" tuberculata, see P. attenuata " virginiana (inops) Scrub P.	.75	6.50
PSEUDOLARIX kaempferi, Goldenlarch	.65	5.80
PSEUDOTSUGA douglasi, gray, Colorado Douglas		
Fir	.75	6.50
" douglasi, green Calif.	.75	6.50
" douglasi, green, West WashOregon	.80	7.00
SCIADOPITYS verticillata, Umbrella-Pine		5.20
SEQUOIA gigantea, Giant S. Big Tree		15.00
" sempervirens, Redwood	.50	4.50
TAXODIUM distichum, Common Baldcypress		1.40
TAXIIS baccata English Very	35	3.00
" cuspidata, Japanese Y.	.40	3.80
Cuspidata, Japanese 1.	ું ત [ુ] મેં	
THUJA gigantea, see Th. plicata " occidentalis, American Arborvitae		3.80
" occidentalis, American Arborvitae	.40	
orientalis, Oriental Av.	.20	1.75
" orientalis aurea, Golden O. Av.		2.80
orientans compacta, compact o. 11v		2.80
" orientalis pyramidalis, Pyramidal O. Av		1.75
" plicata, Giant Av.	.65	5.60
TORREYA californica, California-Nutmeg	.30	2.60
TORREYA californica, California-Nutmeg	.25	2.10
150GA canadensis, Canada Hemiock	.13	7.00
" caroliniana, Carolina H.	.85	8.00
" diversifolia, Japanese H.	.70	6.00
" sieboldi, Siebold H.	. 70	6.00

IMPORTANT.—We exercise every care to send out tree seeds true to name. We cannot extend this guarantee to the result from sowing seeds of such varieties of confers as "aurea, compacta, glaupa, pendula, pyramidalis, violacea, etc." Our collectors are careful in gathering the seeds from trees showing the peculiarities of the variety but the seedlings will often revert to the mother form and as we have no way of testing the seeds as to their producing true to variety, we send them out without any warranty that they will come true any given percentage to variety.

40

Trees and Shrubs

Half ounce, quarter pound, 25 lbs. at ounce, pound and hundred pound rates, respectively. No seeds invoiced for less than 15 cents. No invoice for less than 25 cents. Prices for larger quanties will be quoted by letter upon request.

shrub.

We are using the following abbreviations:

- e means evergreen, d means deciduous.
- t " tree s "
 v " vine or climber.
- db " seed in natural hull.
- c " clean seed.

Example: et stands for	evergreen	tree.
------------------------	-----------	-------

Example: et stands for evergreen tree.		
	OZ.	LB.
ACACIA armata, Kangaroo Thorn	.75	6.50
dt " baileyana, Cootamundra Wattle	.55	5.00
dt " dealbata, Silver Wattle	.30	2.80
dt " farnesiana, Sweet Acacia	.35	3.00
dt " melanoxylon, Blackwood A	.50	4.50
dt " moluccana, Molucca A	.65	5.50
dt ACER campestre, Hedge Maple (1928)	.15	1.20
dt "dasycarpum, Silver Maple (May, 1928),		
order early.		
dt "ginnala, Amur M. (A. tataricum ginnala)	.30	2.80
dt " japonicum, Fullmoon M	.40	3.50
dt " macrophyllum, Oregon M	.15	1.20
dt " negundo, Boxelder	.15	.60
dt " palmatum, (polymorphum) Japanese M	.45	4.00
dt " palmatum atropurpureum, Bloodleaf M	1.50	12.50
dt " pennsylvanicum (striatum), Striped M	.30	2.70
dt " platanoides, Norway M	.15	1.10
dt " platanoides schwedleri, Schwedler M	.20	1.50
dt " pseudoplatanus, Sycamore M	.15	1.10
dt "rubrum, Red M. (May, 1928), order early.		
dt " saccharum, Sugar M	.15	1.10
dt " spicatum, Mountain M	.30	2.80
dt AESCULUS californica, California Buckeye	.15	.85
dt " glabra, Ohio B.	.15	.85
dt "glabra, Ohio B	.15	.60
dt " hippocastanum rubicunda, Red H	.15	1.00
,		
dt AILANTHUS glandulosa, Tree-of-Heaven	.15	1.20
dv AKEBIA lobata, Threeleaf A.	.40	3.50
dv " quinata, Fiveleaf A	.50	4.00
dt ALBIZZIA julibrissin, Silktree	.20	1.85
dt " lebbek, Lebbek	.45	4.20
dt " lophantha (Acacia 1.) Plume Acacia	.25	2.00
dt ALEURITES cordata, Candlenut	.30	2.65
dt " fordi, Tung-oil tree	.15	1.40
,		
dt ALNUS glutinosa, European A.	.15	1.40
ALTHAEA, see Hibiscus		
ds AMELANCHIER alnifolia, Saskatoon	.35	3.50
ds " canadensis (botryapium), Downy Shadblow	.35	3.40
dv AMPELOPSIS quinquefolia, Va. Creeperdb	.25	2.20
dv " tricuspidata (veitchi), Boston Ivydb	.25	2.40
dv " tricuspidata, Japanese Creeper	.30	2.80

OTTO KATZENSTERN & CO., MIDMITH, ON.	, o. s.	Λ.
	OZ.	LB.
dt AMYGDALUS communis, Almond	.15	.80
dt AMYGDALUS communis, Almonddt " davidiana, Chinese Wild Peach (stock)dt " persica, Peach, see Fruit Seeds	.15	1.30
ANDROMEDA, see Leucothoe, Oxydendrum,		
Pieris		
ds ARALIA spinosa, Devils-Walkingstick	.30	2.80
dt ARBUTUS menziesi, Madrone	.35 .30	3.00 2.80
dt " unedo, Strawberry-treees ARDISIA crenulata, Coral Ardisia	.50	4.50
es " japonica, Japanese A	.50	4.50
dv ARISTOLOCHIA sipho, Dutchmans-Pipe	.60	5.25
dv " tomentosa, Pipevine	.40	3.50
ARONIA, Chokeberry, see also Sorbus		
ds " arbutifolia, Red Chokeberry	.15	1.35
ds ASIMINA parvifloradt " triloba, Papaw	.25 .20	2.00 1.60
es AUCUBA japonica, Japanese (green) A	.35	3.00
es " japonica aureo-maculata, Variegated A	.60	5.00
AZALEA, Azalea, see also Rhododendron		• • • •
ds " arborescens, Sweet Adb	.65	6.00
ds " calendulacea (lutea), Flame Adb	.45	4.20
os " hinodogiri Hinodogiri A	1.25	1 Oz. 4.00
es "hinodegiri, Hinodegiri Aces "japonica, Japanese Ac	1.25	4.00
ds " kaempferi, Torch A	1.00	3.50
	oz.	LB.
ds " mollis, Chinese A	1.20	9.00
ds " nudiflora, Pinxterbloom	.55 .65	5.00 6.00
ds "viscosa, Swamp Adb	.65	6.00
es BAUHINIA purpurea, Purple B.	1.20	
ds BENZOIN aestivale (Laurus benzoin) Spicebush	.20	1.75
BERBERIS, see also Mahonia		
ds " darwini, Darwin B	.50	4.80
ds "thunbergi, Japanese Barberryc	.65	5.50 2.00
" thunbergidb ds " vulgaris atropurpurea, Purple B	.25 .25	2.35
dt BETULA alba, European White Birch	.15	1.30
dt " lenta, Sweet B.	.25	2.35
dt " lutea (excelsa) Yellow B	.25	2.35
dt papymera, Canoe B	.25	2.40
dt " populifolia, Gray Bdv BIGNONIA radicans, Trumpetcreeper	.25 .30	2.10
et BUXUS japonica (microphylla), Japanese Box	.55	5.20
et " sempervirens, Common B	.25	2.40
ds CALLICARPA americana, American Beautyberry	.30	2.60
ds CALYCANTHUS floridus (laevigatus) Com-		
mon Sweetshrub	.20	1.65
ds " occidentalis, California S	.35	3.00
practox, see under Merada		2.00
es CAMELLIA chinensis, Chinese Ces " japonica, Common C	.35 .25	3.00 2.00
es " japonica, Common Ces " sasanqua, Sasanqua Tea	.25	2.35
" theifera, see Thea sinensis		
CAMPHORA, see Cinnamomum		
ds CARAGANA arborescens, Siberian Pea-tree	.25	2.00

	oz.	LB.
dt CARPINUS caroliniana, American Hornbeam	.20	1.60
CARYA, see Hicoria		
dt CASTANEA dentata, American Chestnut (Oct		
Nov., 1927)	.15 .15	.80
dt " mollissima, Hairy Chinese C.	.15	1.00
ds " pumila, Chinkapin (Oct., 1927)	.20	1.30
dt CASUARINA cunninghamiana, Cunningham		
Beefwood	1.00	8.50
dt " equisetifolia, Australian Pine	.75	7.00
dt CATALPA speciosa, True wild Western C	.25	2.00
ds CEANOTHUS americanus, Jersey-teadb	.30	2.65
dt CEDRELA sinensis, Chinese C.	.70	6.50
dv CELASTRUS orbiculatus, Oriental Bittersweet	.65	5.00
dv " scandens, American B.	.25	2,20
dt CELTIS mississippiensis, Sugarberry	.15	1.30
dt " occidentalis, Hackberry	.20	1.75
dt shensis, Chinese II.	,30	2.60
ds CEPHALANTHUS occidentalis, Common But-		4.00
tonbush	.15	1.00
et CERATONIA siliqua, Carob	.35	3.20
dt CERCIDIPHYLLUM japonicum, Katsura-tree.	1.20	9.00
dt CERCIS canadensis, American Redbud	25	2.25
dt " occidentalis, California R.	,35	3.00
dt " siliquastrum, Judas-tree	.30	2.60
ds CHIONANTHUS virginica, White Fringe		3.00
et CINNAMOMUM camphora, Camphor-tree	.20	1.60
et CITRUS aurantium, Sour Orange et "trifoliata, Hardy Orange	.65 .25	6.00
,g-		
dt CLADRASTIS lutea (tinctoria) Yellow-wood	.40	3.50
dv CLEMATIS paniculata, Sweet Autumn C	.40	3.40
ds CLETHRA alnifolia, Summersweet	.20	1.50
ds COLUTEA arborescens, Common Bladder-Senna	.20	1.70
CORDYLINE (Dracaena), see under Palm Seeds		
ds CORNUS alternifolia, Pagoda Dogwood	.25	2.00
ds " amomum (sericea) Silky D. " candidissima, see paniculata	.20	1.60
dt " florida, Flowering Dogwood	.15	.70
ds "kousa, Kousa D.	.40	3.50
dt " mas, Cornelian-Cherry	.15	1.40
ds " nuttalli, Pacific D. ds " paniculata, Gray D.	.15	1.40
ds " paniculata, Gray D.	.15	1.40
ds sangumea, Bloodtwig D.	.15	1.40 1.75
ds "stolonifera, Red-Osier D.		.80
ds CORYLUS americana, American Hazelnut ds "avellana, Filbert avellana, Filbert de la companya d	.15	.80
	.25	2.10
ds COTONEASTER acutifolia, Pekin Ces "horizontalis, Rock C	.50	4.50
ds " lucida (sinensis)	.25	2.10
es " microphylla, Rockspray	.50	4.50
dt CRATAEGUS coccinea, Thicket Hawthorn	.15	1.00
dt " cordata, Washington H	.15	1.25
ds " crusgalli, Cockspur Thorn	.15	1.00
ds mons, bowny H.	.15	1.40 1.40
ds " nitida, Glossy H	.13	1.40

	oz.	LB.
ds " oxyacantha, English Hdb	.20	1.70
ds " oxyacantha	.25	2.20
us punctata, Dotted II	.15	1.40
" pyracantha, see Pyracantha coccinea	60	z 00
ds CYDONIA japonica, Flowering Quince	.60 .50	5.00 4.00
ds "oblonga (vulgaris) Common Q	.50	4.00
CYTISUS, see also Laburnum ds " scoparius, Scotch Broom	.20	1.50
ds " scoparius, Scotch Broom		
dt DALBERGIA hupeana, Tan-shu, Rosewood	.25	2.60
dt DIOSPYROS kaki, Kaki Persimmon	.25 .20	2.00
dt "lotus, Dateplumdt "virginiana, Common P	.15	1.75
	.13	.90
DRACAENA, see Palm Seeds		
ds ELAEAGNUS angustifolia, Russian-Olive	.15	1.20
ds "longipes (edulis) Cherry E.	.40	3.80
et ERIOBOTRYA japonica, Loquat	.50	4.50
et EUCALYPTUS cornuta, Yate-tree	.90	8.00
et " corynocalyx, Sugar Gum	1.00	9.00
et "globulus, Blue Gumet "lehmanni, Lehmann Gum	.90 1.00	8.00 8.50
et " melliodora, Honey Gum	1.20	10.00
et " punctata, Leatherjack	.90	8.00
et "resinifera, Mahogany Gum	1.50	12.00
et " robusta, Brown Gum	.70	6.00
et " rostrata, Greek Gum	.70	6.00
et " stuartiana, Apple Gum	.90	8.00
teretteorns, Stated Guin	.90	8.00
viiimians, maina dun	.90	8.00
es EUONYMUS alatus, Winged E.	.35	3.40
ds " americanus, Brook Eds " atropurpureus, Wahoo	.25 * .30	2.20
ds " europaeus, European Burningbush	.20	1.60
es " japonicus, Evergreen E	.35	3.40
ds EXOCHORDA grandiflora, Common Pearlbush	.45	3.80
dt FAGUS americana, American Beech	.20	1.50
dt " sylvatica, European B	.20	1.50
dt " sylvatica purpurea, Purple B	.30	3.00
dt FRAXINUS americana, White Ash	.20	1.60
dt " excelsior, European Ash	.15	.85
dt " lanceolata (viridis) Green Ash	.15	.80
dt " ornus, Flowering Ash	.15	1.00
dt " quadrangulata, Blue Ash	.20	1.60
dt " velutina (arizonica) Arizona Ash	.20	1.60
es GAULTHERIA procumbens, Wintergreen	.60	5.20
GENISTA, see under Cytisus		
GINKGO, see under Conifers		
dt GLEDITSIA sinensis, Chinese Honeylocust	.20	1.75
dt " triacanthos, Common H.	.15	1.00
et GREVILLEA robusta, Silk-oak	1.20	9.50
dt GYMNOCLADUS dioica, Kentucky Coffeetree	.15	1.40
dt HALESIA tetraptera, Great Silverbell	.25	2.00
ds HAMAMELIS virginiana, Common Witch-Hazel	.25	2.20
	.25	2.20
es HESPEROYUCCA whipplei (Yucca wh.) Cha-	60	5.50
parral Yucca	.60	3.30
HETEROMELES, see under Photinia		

ds HIBISCUS syriacus, Shrub-Althea		oz.	LB. 1.60
,,,		10	100
dt HICORIA alba, (Carya tomentosa)	Lb.	Lbs.	Lbs.
Mockernut	.30	2.00	12.50
dt " cordiformis (C. amara) Bitternut	.30	2.00	14.50
dt " glabra (C. porcina) Pignut	.30	2.00	12.50
dt " laciniosa (C. sulcata) Shellbark H dt " minima, see H. cordiformis	.30	2.00	16.00
dt " ovata (C. alba) Shagbark H	.30	2.00	14.50
dt " pecan (C. olivaeformis) Pecan	.65	6.00	55.00
. Trennontile 1		oz.	LB.
ds HIPPOPHAE rhamnoides, Common Sea-I		.30	2.80
dt HOVENIA dulcis, Raisintree			
•		.40	3.50
ds HYDRANGEA paniculata, Panicle H.		.50	4.50
et ILEX aquifolium, English Holly		.20	1.90
es " cassine (dahoon) Dahoon	·····	.25	2.00
es " cornuta, Chinese Hes " crenata, Japanese H		.45 .35	4.20 3.20
es "crenata, Japanese Hes "glabra, Inkberry	dh	.15	1.00
et "opaca, American H.	dh	.15	.80
ds " sieholdi, Siehold H	С	.45	4.00
ds " verticillata, Common Winterberry	db	.20	1.35
es " vomitoria, Yawpon	db	.25	2.00
et ILLICIUM anisatum, Japanese Anisetree		.45	4.00
, , , , , , , , , , , , , , , , , 		10	100
	Lb.	Lbs.	Lbs.
dt JUGLANS californica, California Walnut	.75	7.00	65.00
dt " cinerea, Butternutdt " cordiformis sea sigholdi cordiformis	.20	1.80	16.50
de coldiforms, see sieboldi coldiforms		= 00	
ut migsi, mids w	.75 .20	7.00	14.50
dt " nigra, Black Wdt " regia (China) Persian English W	1.20	1.60 10.50	14.50
dt " sieboldiana, Japanese W	.75	7.00	65.00
dt " cordiformis Flat W	.70	6.50	60.00
2.20 (1)		oz.	LB.
es KALMIA latifolia, Mountain-Laurel	db	.25	2.10
dt KOELREUTERIA paniculata, Goldenrain-t	ree	.20	1.80
ds LABURNUM vulgare, Goldenchain		.25	2.00
ds LAGERSTROEMIA indica, Common C			
myrtle, in colors	db	.35	3.40
et LAUROCERASUS caroliniana, Cherry Laur		.15	1.25
et " lusitanica, Portugal-Laurel		.20	1.75
et " officinalis (P. laurocerasus) English C-I		.15	1.80
· · · · · · · · · · · · · · · · · · ·			
et "nobilis, Grecian Laurel		.20	1.50
LAURUSTINUS, see under Viburnum tinus		.20	1.50
LAUKUS I INUS, see under vidurium unus		25	2.20
·		.25	2.20
es LEUCOTHOE catesbaei, Drooping Laurel			
es LEUCOTHOE catesbaei, Drooping Laurel es LIGUSTRUM amurense, Amur Privet		.15	.85
es LEUCOTHOE catesbaei, Drooping Laurel es LIGUSTRUM amurense, Amur Privet ds "ibota Ibota P	••••••	.15	.90
es LEUCOTHOE catesbaei, Drooping Laurel es LIGUSTRUM amurense, Amur Privet s 'ibota, Ibota P es 'ipponicum, Japanese P	•••••••	.15 .20	.90 1.30
es LEUCOTHOE catesbaei, Drooping Laurel es LIGUSTRUM amurense, Amur Privet ds "ibota, Ibota P es "japonicum, Japanese P es "lucidum, Glossy P	••••••	.15 .20 .20	.90 1.30 1.80
es LEUCOTHOE catesbaei, Drooping Laurel es LIGUSTRUM amurense, Amur Privet ds "ibota, Ibota P es "japonicum, Japanese P es "lucidum, Glossy P	••••••	.15 .20 .20 .35	.90 1.30 1.80 3.00
es LEUCOTHOE catesbaei, Drooping Laurel es LIGUSTRUM amurense, Amur Privet ds "ibota, Ibota P	••••••	.15 .20 .20 .35 .15	.90 1.30 1.80 3.00 1.00
es LEUCOTHOE catesbaei, Drooping Laurel es LIGUSTRUM amurense, Amur Privet ds "ibota, Ibota P	••••••	.15 .20 .20 .35	.90 1.30 1.80 3.00

OTTO KATZENSTEIN & CO., ATLANTA, GA.,	0. 5.	11.
	oz.	LB.
dt LIQUIDAMBAR formosana, Formosa Sweetgum	.60	5.50
dt " styraciflua, Sweetgum	.45	4.20
dt LIRIODENDRON tulipifera, Yellow Poplar,		
Tuliptree	.15	1.20
ds LONICERA tatarica, Tatarian Honeysuckle	.50	4.60
ds " xylosteum, European Fly H	.45	4.00
dt MACLURA pomifera (aurantiaca) Osage-Orange	.20	1.60
dt MAGNOLIA acuminata, Cucumbertree	.30	2.80
et glauca, Sweetbay	.35	3.40
et " grandiflora, Southern M	.20	1.80
dt "hypoleuca, Silver M	.35	3.00
dt " kobus, Kobus M	.30	2.80
dt " tripetala, Umbrella M	.30	2.80
es MAHONIA aquifolium, Oregon Hollygrape, Do-		
mesticdb	.40	3.50
es " aquifolium, Importedc	.45	4.00
es " bealei (japonica) Leatherleaf Mc	.55	5.25
dt MELIA azedarach, Chinaberry	.20	.70
dt " " umbraculiformis, Texas Umbrellatree	.20	.70
ds MERATIA praecox (Calycanthus p.) Winter-		
sweet	.40	3.80
	.55	
dt MORUS alba, White Mulberrydt " alba tatarica Russian M		4.80
at and tatarica, reasonan in	.55	4.80
ds MYRICA carolinensis, Northern Bayberryds " cerifera, Southern B	.25	2.00
— · · · · · · · · · · · · · · · · · · ·	.25	2.00
dt NANDINA domestica, domestic seed	.70	6.00
Imported seed	.45	4.00
NEGUNDO, see Acer negundo		
dt NYSSA aquatica, Big Tupelo	.20	1.60
dt "sylvatica (multiflora), Tupelo Blackgum	.20	1.60
ORANGE, see under Citrus		
dt OSTRYA virginiana, American Hophornbeam	.25	2.40
ds OXYDENDRUM arboreum, Sourwooddb	.15	1.20
dt PAULOWNIA tomentosa (imperialis), Princess-		
tree	.30	2.60
es PERSEA borbonia, Redbay	.25	2.25
et PHOTINIA arbutifolia (Heteromeles) Christmas-		
berry	.25	2.00
es " serrulata, Low P	.35	3.00
es PIERIS floribunda, Mountain Andromedadb	.35	3.20
es " floribunda, Mountain Andromedac	1.20	10.00
es " japonica, Japanese Andromedac	1.20	10.00
ds " mariana, Staggerbushdb	.20	1.60
ds " mariana, Staggerbushc	.35	3.20
dt PISTACIA chinensis, Chinese Pistache	.25	2.00
es PITTOSPORUM tobira, Tobira	.45	4.00
dt PLATANUS occidentalis, American Planetree	.15	.85
	.15	
,		1.10
dt POINCIANA regia, Royal Poinciana	.30	2.60
PONCIRUS, see Citrus		
dt POPULUS deltoides, Southern Cottonwood	.20	1.60
PRUNUS, Cherry, Plum (also Fruit Seeds)		
dt " americana, American Plum	.15	1.40
dt " avium, Mazzard Cherry	.15	1.40
	.10	1.70
" caroliniana, see Laurocerasus c.		
" caroliniana, see Laurocerasus c. et " ilicifolia, Hollyleaf Cherry	.20	1.80

orro militariorem a co., milimin, o	n., U. S.	. л.
A DRIMIC L	OZ.	LB
et PRUNUS laurocerasus, see Laurocerasus officinalis	,	
et " lyoni (integrifolia) Catalina Cherrydt " mahaleb, Mahaleb Cherry	25	2.00
dt " mahaleb, Mahaleb Cherry	c .20	1.50
dt " myrabolana, Myrabolan Plum	15	1.45
dt " serotina, Black Cherry	15	1.10
dt " tomentosa, Nanking Cherry	60	5.50
dt " virginiana, Common Chokeberry	15	1.00
dt PTELEA trifoliata, Common Hoptree	15	1.30
dt PTEROCARYA stenoptera, Chinese Wingnut		2,00
dv PUERARIA thunbergiana, Kudzu-Bean	30	2.50
es PYRACANTHA coccinea, Scarlet Firethorn	15	1.20
es " coccinea lalandi, Laland F		2.00
es " coccinea yunnanensis, Yunnan F	30	2.60
PYRUS, see Aronia, Cydonia, Sorbus, Fruit seed		00
r 1 KO5, see Aroma, Cydonia, Sorbus, Fruit seed	S	
. 1	10	100
Lb.		Lbs.
et QUERCUS acuta, Japanese Evergreen Oak 1.60		
et agrifolia, Camornia Live Oak 1.00		
dt " alba, White O. (November only)40		14.00
dt " coccinea, Scarlet O	4.20	21.00
dt " falcata (digitata) Southern Red O50	4.20	20.00
et "glauca, Blue Japanese O 1.60	14.00	
dt " ilicifolia (banisteri) Scrub O	4.50	36.00
dt " laurifolia, Laurel O		23.00
dt " lyrata, Overcup O		21.00
dt " macrocarpa, Mossycup O		26.00
et " nigra (aquatica) Water O		21.00
	, 4.20	21.00
dt " obtusiloba, see stellata dt " palustris, Pin O	4.40	27.00
dt " phollog Willow O		
dt "phellos, Willow O		27.00
dt " prinus, Chestnut O. (November only) .50		21.00
dt Tubia, Common Red O		14.00
		22.00
ut venutina (tilictoria) black O		21.00
et "virginiana, Live O	7.00	52.00
	oz.	LB.
ds RHAMNUS caroliniana, Carolina Buckthornds " cathartica, Common B	.20	1.60
ds " cathartica, Common B	25	2.00
ds " frangula, Glossy B	.20	1.90
dt " purshiana, Cascara B	.40/	3.60
es RHODODENDRON carolinianum, Carolina		
Rhdb	.70	6.50
es " catawhiense Catawha Rh dh	.50	4.50
cs catawbiense, catawba Rndb		
to maximum, rosebay rm		4.00
ds RHODOTYPOS kerrioides, Jetbead	.40	3.80
RHUS aromatica, see Rhus canadensis		
ds " canadensis, Fragrant Sumacdb	.20	1.60
ds " copallina, Shining S	.15	1.00
dt " cotinus, Common Smoketree, Purple Fringec		4.00
ds " glabra, Smooth Sdb	.15	.90
ds " javanica, Tava Sc	.25	2.20
ds " javanica, Java Scds " typhina, Staghorn Sdb	.15	1.30
us typiinia, Stagnorn Sub	.13	1.50
dt ROBINIA neo-mexicana, New Mexican Lo- custdb		
custdb	.35	3.00
dt " pseudacacia, Common Black (Yellow) Lc	.15	1.00
ds ROSA blanda, Meadow Rosedb	.15	1.40
ds " canina, Dogbrierc	.15	1.00
ds " carolina, see R. palustris		
as caronia, see 21, parasem		

OTTO KITTEDIOTETT & CO., ITEMITIN, OIL,	0. 5.	11.
	oz.	LB.
ds " coriifolia froebeli (laxa), Froebel R. excel-		
lent for stocks	.30	2.60
us numins, rasture Kub	.20	1.60
us iuciua, viiginia IVub	.20	1.60
us mutinora, Japanese R.	.25 .20	2.40 1.60
ds " nitida, Bristly Rdb ds " palustris, Swamp Rdb	.20	1.60
ds "rubiginosa, Sweetbrierdb	.20	1.75
ds " rubrifolia, Red-leaf R	.40	3.60
ds " rugosa, Rugosa Rdb	.25	2.00
ds " rugosa, Rugosa Rc	.30	2.80
ds " rugosa, Rugosa R	.20	1.75
SALISBURIA, see Ginkgo (Conifers)		
ds SAMBUCUS canadensis, American Elderdb	.20	1.65
ds " nigra, European Ec	.25	2.00
ds "racemosa, European Red Edb	.30	2.60
dt SAPIUM sebiferum, (Stillingia s.) Chinese Tal-		1 20
lowtree	.15	1.20
dt SASSAFRAS variifolium, Common S	.20	1.50
dt SCHINUS molle, California Peppertree	.20	1.75
es SKIMMIA japonica	.45	4.00
dt SOPHORA japonica, Chinese Scholartree	.20	1.75
dt SORBUS americana, American Mountain-Ash	.20	1.40
" arbutifolia, see Aronia a.		4 50
dt " aucuparia, European M	.20	1.70
SPARTIUM, see also Cytisus	25	2 20
ds " junceum, Weaversbroom	.25	2.20
¼ Oz.		
dt SPATHODEA campanulata, Fountaintree 1.40	4.80	••••••
dt STERCULEA platanifolia, Chinese Parasoltree	.25	2.00
ds STEWARTIA pentagyna, Mountain Ash	.70	6.50
ds " pseudocamellia, Japanese Ash	.70	6.00
STILLINGIA, see Sapium		
ds STYRAX americana, American Snowbell	.20	1.75
ds " japonica, Japanese Snowbell	.30	2.80
ds " obassia, Fragrant S	.45	4.20
et SWIETENIA mahogany, True Mahogany	.90	7.50
	.90	7.50
ds SYMPHORICARPOS racemosus, Common Snow-	.25	2.25
ds " vulgaris, Coralberry	.20	1.75
de CVDINGA in the Transport		
ds SYRINGA japonica, Japanese Tree Lilac	.90	7.50
ds " vulgaris, Common L	.20	1.50
ds " vulgarisc ds " vulgaris alba, White Flowering Ldb	.40 .30	3.50 2.80
valgaris alba, white Flowering D	.30	2.00
TECOMA, see Bignonia	.25	2 10
es THEA sinensis, Tea		2.10
dt " parvifolia, Small-leaf European I.	.25	2.00
dt " parvifolia, Small-leaf European Ldt " platyphyllos, Big-leaf European L	.25	2.00
dt "tomentosa (argentea). Silver-leaf L	.25	2.00
dt "tomentosa (argentea), Silver-leaf Ldt "vulgaris, Common European L	.25 .25	2.00 2.00
vulgaris, Common European L.		
dt ULMUS americana, American Elm (May, 1928)	.15	1.20
tampestris, English E. (Julie, 1928)	.20	1.50
parvirona, Chinese E. (December, 1927)	.30 .40	2.80 3.50
dt " pumila, Chinese E. (July, 1928)	.40	3.30

ds " americanum, American Cranberrybushdb			
ds " americanum, American Cranberrybushdb		oz.	LB.
ds " cassinoides, Witherod			
ds "dentatum, Arrowwood	ds americandin, rimerican eranberry bashdb		
ds " dilatatum, Airowwood ds " dilatatum, Linden V	us cassifordes, witherouub		1.60
ds "lantana, Wayfaring-tree	us dentatum, Arrowwooddb	.20	
"alantana" "alantana" <td>us unatatum, Emuch v</td> <td>.25</td> <td></td>	us unatatum, Emuch v	.25	
dt " lentago, Nannyberry	ds lantana, waylaring-treedb	.25	2.20
dt "molle, Kentucky V	" lantanac	.35	3.40
ds "nudum, Smooth Witherod db .20 1.60 es "odoratissimum, Sweet V	dt " lentago, Nannyberrydb	.20	1.60
ds " odoratissimum, Sweet V	dt " molle, Kentucky Vc	1.00	8.00
ds "opulus, European Cranberrybush db .20 1.90 "opulus	ds " nudum, Smooth Witheroddb	.20	1.60
" opulus .c .30 2.60 " oxycoccos, see V. americanum db .15 1.20 es " tinus, Laurustinus .db .25 2.20 VIRGILIA, see Cladrastis dv VITIS aestivalis, Summer Grape .c .30 2.60 dv " coignetiae, Gloryvine .c .35 3.00 dv " cordifolia, Frost G. .c .30 2.60 dv " labrusca, Fox G. .c .30 2.60 dv " rotundifolia, Muscadine G. .c .35 3.00 dv WISTERIA sinensis (chinensis) Blue Chinese W. .c .25 2.35 dv " sinensis alba, White Chinese W. .c .35 3.20 es YUCCA brevifolia, Shortleaf Y. 1.00 es " glauca, Soapweed Y. .35 3.00 es " gloriosa, Moundlily Y. .45 4.20 " whipplei, see Hesperoyucca .30 2.80	es " odoratissimum, Sweet Vc	.40	3.60
" oxycoccos, see V. americanum ds " prunifolium, Blackhaw	ds " opulus, European Cranberrybushdb	.20	1.90
bxycotos, see V. antertanum ds " prunifolium, Blackhaw	" opulusc	.30	2.60
es "tinus, Laurustinus	" oxycoccos, see V. americanum		
VIRGILIA, see Cladrastis dv VITIS aestivalis, Summer Grape .c .30 2.60 dv "coignetiae, Gloryvine .c .35 3.00 dv "cordifolia, Frost G. .c .30 2.60 dv "labrusca, Fox G. .c .30 2.60 dv "rotundifolia, Muscadine G. .c .35 3.00 dv WISTERIA sinensis (chinensis) Blue Chinese W. .c .25 2.35 dv "sinensis alba, White Chinese W. .c .35 3.20 es YUCCA brevifolia, Shortleaf Y. 1.00 es "flamentosa, Common Y. Beargrass .30 2.65 es "glauca, Soapweed Y. .35 3.00 es "gloriosa, Moundlily Y. .45 4.20 "whipplei, see Hesperoyucca .30 2.80	ds " prunifolium, Blackhawdb	.15	1.20
dv VITIS aestivalis, Summer Grape c .30 2.60 dv "coignetiae, Gloryvine c .35 3.00 dv "cordifolia, Frost G c .30 2.60 dv "labrusca, Fox G c .30 2.60 dv "rotundifolia, Muscadine G c .35 3.00 dv WISTERIA sinensis (chinensis) Blue Chinese C .25 2.35 dv "sinensis alba, White Chinese W c .35 3.20 es YUCCA brevifolia, Shortleaf Y 1.00 es "flamentosa, Common Y Beargrass .30 2.65 es "glauca, Soapweed Y .35 3.00 es "gloriosa, Moundlily Y .45 4.20 "whipplei, see Hesperoyucca	es " tinus, Laurustinusdb	.25	2.20
dv " coignetiae, Gloryvine .c .35 3.00 dv " cordifolia, Frost G. .c .30 2.60 dv " labrusca, Fox G. .c .30 2.60 dv " rotundifolia, Muscadine G. .c .35 3.00 dv WISTERIA sinensis (chinensis) Blue Chinese .c .25 2.35 dv " sinensis alba, White Chinese W. .c .35 3.20 es YUCCA brevifolia, Shortleaf Y. 1.00 es " filamentosa, Common Y. Beargrass .30 2.65 es " glauca, Soapweed Y. .35 3.00 es " gloriosa, Moundlily Y. .45 4.20 " whipplei, see Hesperoyucca .30 2.80 dt ZELKOVA serrata, Sawleaf Z. .30 2.80	VIRGILIA, see Cladrastis		
dv " cordifolia, Frost G	dv VITIS aestivalis, Summer Grapec	.30	2.60
dv " labrusca, Fox G. <td>dv " coignetiae, Gloryvinec</td> <td>.35</td> <td>3.00</td>	dv " coignetiae, Gloryvinec	.35	3.00
dv "rotundifolia, Muscadine G.	dv " cordifolia, Frost Gc	.30	2.60
dv "rotundifolia, Muscadine G.	dv " labrusca, Fox Gc	.30	2.60
W.		.35	3.00
W.	dv WISTERIA sinensis (chinensis) Blue Chinese		
es YUCCA brevifolia, Shortleaf Y		.25	2.35
es "filamentosa, Common Y. Beargrass	dv " sinensis alba, White Chinese Wc	.35	3.20
es "filamentosa, Common Y. Beargrass	es YUCCA brevifolia, Shortleaf Y	1.00	
es " glauca, Soapweed Y	•	.30	2.65
es "gloriosa, Moundlily Y	es "glauca, Soapweed Y	.35	3.00
" whipplei, see Hesperoyucca dt ZELKOVA serrata, Sawleaf Z			4.20
•	• •		
1/ 71777DTTTO : : 1	dt ZELKOVA serrata, Sawleaf Z	.30	2.80
at ZIZYPHUS jujuba, Common Jujube	dt ZIZYPHUS jujuba, Common Jujube	.30	2.60

We are offering the complete line of E. C. BROWN CO. SPRAYING APPARATUS for every purpose, which has been enjoying the highest reputation for many years. Write for catalog and price list.

NEPONSET WATERPROOF PAPER POTS are a great and almost indispensable help to the grower. We supply them. Write for complete price list and other information.

PRACTICAL SEED TESTERS

It is of importance that tree seeds and other seeds be tested before planting. Our testers are dependable and very simply operated.

Small size, 6x9 in., \$4.00 net, f. o. b. here, no charge for packing. Large size, 9x13 in., \$5.00 net, f. o. b. here, no charge for packing.

Seeds of Palms, Tropical and Subtropical Plants

IMPORTANT: Palm seeds should be cared for by the planter as soon as possible after ripening and gathering, and as many kinds listed by us must be shipped to us over long distances, orders should be in our hands as early as possible to have best care.

	100s	1000s	Oz.	Lb.
ACROCOMIA sclerocarpa	4.80		•••••	•••••
ARCHONTOPHOENIX alexandrae	.65	5.00		
ARECA catechu	.70	5.50		
" lutescens, see Chrysalidocarpus				•
ARENGA saccharifera, Sugar P	1.75	14.00		******
ATTALEA cohune	2.80			•••••
BRAHEA, see Washingtonia				
CARICA papaya	•••••		.80	6.50
CARYOTA mitis, Fishtail P	1.40	10.00		
CARYOTA urens, Toddy P	1.60	11.00		
CASUARINA cunninghamiana			1.00	8.50
" equisetifolia, Australian Pine		•••••	.75	7.00
CERATONIA siliqua, Carob	•••••		.35	3.20
CHAMAEROPS excelsa, see Trachycarp				
" humilis, Hair P	.60	5.25	•••••	•••••
CHRYSALIDOCARPUS lutescens,	4.00	0.40		
Yellow Areca	1.20	9.50	• • • • • • • • • • • • • • • • • • • •	
COCCOTHRINAX argentea, Silver	.75	6.50		
COCOS australis, Pindo P.	.75	6.00		*******
" campestris, Field P	.75	6.00		
" plumosa, San Diego P	1.00	8.00		
" weddelliana, Weddell P	2.80	20.00		
CORDYLINE australis, Green				
Dracena	.25	1.00	•••••	
" indivisa, Blue D	.25	.85	•	•••••
CYCAS revoluta, Sago Palm	10.00	90.00	•••••	******
DRACAENA draco, Dragontree	.55	5.00		•••••
ELAEIS guineensis	1.25	10.00	•	•••••
ERIOBOTRYA japonica, Loquat	•••••		.50	4.50
ERYTHEA armata, see Glaucothea				
" edulis, Guadelupe P	.60	5.50	*******	
EUCALYPTUS, see page 9				
GEONOMA gracilis	2.40	20.00		
GLAUCOTHEA armata, Blue P	1.10	9.00	*******	•••••
GREVILLEA robusta, Silk-oak	•••••		1.20	9.50
HEDYSCEPE canterburyana, Canter-				
bury P	4.80	40.00	******	•••••
HOWEA forsteriana	2.60	20.00	******	*******
KENTIA, see Hedyscepe, Howea	2.40	18.00		
" mooreana	2.40	10.00		

TITDATEA amostokilis Camum Dalas		1000s		
JUBAEA spectabilis, Syrup Palm,				. ******
LATANIA borbonica, see Livistona sinensis			.1.	
LICUALA grandis	- 2.40	18.00	********	
LIVISTONA australis (Corypha)				
Australian Fan P.	1.75	12.00		
" rotundifolia, Java Fan P	3.50	30.00	•••••	
" sinensis (Latania borbonica)				
Chinese Fan P.	.40	3.00		
OREODOXA, see Roystonea				
PANDANUS utilis, Screw Pine	.90	8.00		

PHOENIX canariensis, Canary Date P.	.35	2.10		
Cytaunona	.75	6.00		
dactymera, Date 1	.50	4.00		
" farinifera " glauca " glauca " " " " " " " " " " " " " " " " " " "	.85	6.00		
	.70	5.00	*******	
leonensis, senegai Date F	.50	4.00	*******	******
pulma, Dwall Date F	.50 .50	4.00		
" reclinata, Senegal Date P. " roebelini, Roebelin P	2.10	4.00 15.00		
" rupicola, Clifi Date P	.80	6.50		
" sylvestris, India Date P	.60	5.00		
POINCIANA regia, Royal P.			.30	2.60
PRITCHARDIA filifera	.45	2.20		
" pacifica (Corypha umbrac.)	1.20	8.50		
ROYSTONEA regia (Oreodoxa) Royal P	.55	4.20	********	
SABAL blackburneana, Blackburn P.	.90	7.00		
" nelmette Careline P	.70	6.00		
" palmetto, Carolina P.			•••••	
SEAFORTHIA elegans	.40	2.50	••••••	
SKIMMIA japonica	•	••••	.45	4.00
STRELITZIA nicolai (augustae)				
Bird-of-Paradise flower	4.00			
SWIETENIA mahogany, True				
Mahogany			.90	7.50
SPATHODEA campanulata, Foun-				
taintree (¼ oz. \$1.40)			4.80	
TEMPLETONIA retusa		8.00		
THRINAX altissima, Thatch P.	.70	4.50		
" parviflora, Jamaica T. P	.50	2.80	• • • • • • • • • • • • • • • • • • • •	
TRACHYCARPUS excelsa				
(Chamaerops) Windmill P	.45	3.50		
WASHINGTONIA filifera, California				
Washington Palm	•		.30	2.00
" robusta, Mexican W. P.			.35	
" robusta, Mexican W. P " sonorae, Mexican W. P			.40	2.60

WRITE US REGARDING OTHER KINDS OF PALM, ETC., SEEDS FOR WHICH YOU ARE IN THE MARKET, SO THAT WE MAY QUOTE PRICES.

IF YOU GATHER ANY PALM, ETC., SEEDS WE SHOULD BE INTERESTED IN YOUR OFFERS.

Fruit Seeds

Please order Fruit Seeds early and write for quantity prices.

	Oz.	Lb.	100 Lbs.
ALMOND	.15	.80	70.00
APPLE, French Crab	.20	1.65	140.00
" Austrian	.15	1.30	100.00
" German, from wild trees	.20	1.50	135.00
" Vermont	.20	1.65	130.00
APRICOT, Russian	.15	.40	22.50
BUTTERNUT, see Juglans cinerea on page 10			
CHERRY, Mahaleb, washed	.20	1.50	115.00
" Mazzard, washed	.15	1.40	105.00
CHESTNUT, see under Castanea on page 8			
HAZELNUT, see under Corylus on page 8			
HICKORY, see under Hicoria on page 10			
LEMON, see under Citrus on page 8-			
ORANGE, see under Citrus on page 8			
PEACH, Chinese Wild	.15	1.30	
Naturals, small seed	.15	.40	•••••
PEAR, Austrian Wild	.20	1.50	135.00
" French	.40	3.80	340.00
" German, from true wild trees	.30	2.60	240.00
" Chinese, Pyrus calleryana, true	1.20	9.00	
" Japanese, P. ussuriensis	.90	7.50	710.00
" Late Jap. Pear, P. serotina	.75	6.50	600.00
PECAN, see under Hicoria pecan on page 10			
PERSIMMON, see under Diospyros on page 9			
PLUM, American, Prunus americana	.15	1.40	*****
" Myrabolan, P. myrabolana	.15	1.45	125.00
QUINCE, Cydonia oblonga	.50	4.00	
WALNUT, see under Juglans on page 10			

Roots and Seeds of Medicinal Plants

Arrangements with very reliable growers permit us to offer the following list of high grade Medicinal Roots and Seeds for propagation at very attractive prices, which are not subject to any discount. We are not growers ourselves. For roots and seeds of economic plants not here listed or for large quantities we can quote on direct inquiry.

Information regarding cultivation of Ginseng, Goldenseal and other herbs may be had by applying to United States Department of Agriculture, Washington, D. C., which issues bulletins on these subjects.

3	Ľ	Ľ	D	2

	100	500	1,000	10,000	Oz.	Lb.
Ginseng(Panax quinquefolium)	.50	1.80	3.00	27.50	••••••	
Goldenseal(Hydrastis canadensis)	.35	1.40	2.00	18.00	•••••	••••••
Pink root(Spigelia marilandica)	.40	1.60	2.40	*******	•	*****
Belladonna(Atropa belladonna)		•••••	•••••		1.00	•••••
Butterfly weed(Ascelepias tuberosa)	•••••	•	•••••	•	.40	3.50
Stramonium(Datura stramonium)	•••••	•••••	······	******	.30	2.40

We pay postage on domestic orders for these seeds when accompanied by cash.

ROOTS

GINSENG (Panax quinquefolium)

	10 Roots	100 Roots	500 Roots	1000 Roots
1 year old	1.00	4:00	11.50	22.00
2 years old	1.40	5.00	18.00	32.00

GOLDENSEAL (Hydrastis canadensis)

1 year old	.65	2.00	6.50	11.00
2 years old, small	.90	2.60	10.50	19.00
2 years old strong (Woodsgrown)	1 35	3.20	12.50	23.00

SUNDRY MEDICINAL ROOTS

Aconitum napellus, Aconite	10 Roots 1.00	100 Roots 3.00	1000 Roots 18.00
Aletris farinosa, Stargrass	1.00	3.00	18.00
Angelica atropurpurea, Purplestem Angelica	1.00	3.00	18.00
Aplectrum hyemale, Puttyroot, Adam and Eve	1.25	3.50	20.00
Arisaema triphyllum, Jack-in-the-Pulpit	1.00	3.00	18.00
Aristolochia serpentaria, Virginia Snakeroot	1.00	3.00	18.00
Asclepias incarnata, Swamp Milkweed	1.00	3.00	18.00
Asclepias tuberosa, Butterflyweed	1.00	3.00	18.00
Chamaelyrium luteum, Fairywand	1.00	3.00	18.00
Cimicifuga racemosa, Cohosh Bugbane	1.00	3.00	18.00
Cypripedium parviflorum, Small Yellow Lady-slipper	1.50	7.00	
Dionaea muscipula, Venus Flytrap	2.00	7.50	
Dioscorea villosa, Wild Yam	1.25	3.50	22.50
Erythronium americanum, Common Troutlily	1.00	3.00	18.00
Fragaria virginica, Va. Strawberry	1.00	3.00	
Gelsemium sempervirens, Carolina-Jessamine	1.00	3.00	18.00
Gentiana andrewsi, Closed Gentian	2.50	4.50	32.00
Hepatica triloba, Roundlobe Hepatica	1.00	3.00	18.00
Hydrastis canadensis, Goldenseal	.65	2.00	11.00
Mitchella repens, Partridgeberry	1.00	3.00	18.00
Panax quinquefolium, Ginseng	1.00	4.00	22.00
Passiflora incarnata, Maypop	1.00	3.00	18.00
Phlox subulata, Moss Pink	1.00	3.00	18.00
Phytolacca americana (decandra) Common Pokeberry	1.00	3.00	18.00
Podophyllum peltatum, Common Mayapple	1.00	3.00	18.00
Polygala senega, Seneca-Snakeroot	1.00	3.00	20.00
Polygonatum biflorum, Small Solomonseal	1.00	3.00	18.00
Sanguinaria canadensis, Bloodroot	1.00	3.00	18.00
Sarracenia flava, Trumpet Pitcherplant	1.80	5.50	30.00
Sarracenia purpurea, Common Pitcherplant	1.80	5.50	35.00
Sarracenia rubra, Sweet P.	2.00	6.00	
Silene virginica, Firepink	1.25	3.50	
Smilacina stellata, Starry False Solomons Seal	1.00	3.00	18.00
Spigelia marylandica, Pinkroot	1.00	3.00	18.00
Stillingia sylvatica, Queens Delight	1.00	3.00	
Tradescantia virginica, Va. Spiderwort	1.00	3.00	18.00
Trillium erectum, Purple Trillium	1.00	3.00	18.00
" grandiflorum, Purple T	1.00	3.00	18.00
" sessile, Toad T	1.00	3.00	18.00
Viola cucullata, Blue Marsh Violet	1.00	3.00	16.00
Viola pedata, Birdsfoot Violet	1.00	2.60	15.00
Viola pubescens, Downy Yellow Violet	1.00	3.00	16.00
Prices for ten roots include delivery of dome	etic or	ders a	ccom-

Prices for ten roots include delivery of domestic orders accompanied by cash. NO DISCOUNTS ON ROOTS.

Books

To meet a steadily increasing demand we are prepared now to supply the best books on horticulture at publishers' prices and shall gladly obtain for you any books omitted from this list.

Prices include delivery in U. S. A. No discounts.

Prices include delivery in U. S. A. No discounts.	
STANDARDIZED PLANT NAMES (1923) is becoming rapidly the acknowledged standard authority for all dealings in and current literature about plants in the	nage i e
United States. In our own publications we adhere strictly to Standardized Plant Names.	** .
STANDARD EDITION (bound in cloth for library and general use)	\$6.00
POCKET EDITION (flexibly bound in Fabrikoid, printed on India or "Bible" paper—11 ounces, ½ inch thick	7.50
INTERLEAVED EDITION (same as Standard Edition with blank pages between the printed pages for notations	
546 pages. Delivered postpaid in the U.S.A. on receipt of price. For foreign countries add 30 cents	
for postage.	
THE STANDARD CYCLOPEDIA OF HORTICUL- TURE, edited by L. H. Bailey. Complete with color	
pages and nearly 5,000 engravings, these volumes give complete information on kinds, characteristics, and	
methods of cultivation of all plants grown in North	
America. Ill., 3 vols., 3637 pp	27.00
practical aid to the nurseryman, forester, farmer, and	- T
property owner in cultivation and management of evergreens. Has keys for the easy identification of the cultivated varieties. Ill., 434 pp	
A MANUAL OF CULTIVATED PLANTS, by L. H. Bailey. Makes easy the identification of the com-	
mon domestic species of the fruits, grains, vegetables, greenhouse plants; garden flowers, ornamental shrubs,	
and trees by keys to their physical characteristics. Ill., 891 pp.	7.30
MANUAL OF GARDENING, by L. H. Bailey. This	i de la estata. Para de la caractería
twelfth printing brings up-to-date the information on fruits, vegetables, and ornamental plants, their propagation and culture, protection from insects and	
diseases and general landscaping effects. Ill., 539 pp. THE NURSERY MANUAL, by L. H. Bailey. Outlines	
all the details of successful nursery practice for both professional and amateur. One section describes	
general nursery methods, especially propagation prac- tices; the other section has a complete list of nursery plants, with the propagation and cultivation methods required for each. Ill., 456 pp.	
THE PRUNING MANUAL, by L. H. Bailey. Easily	
accessible information on the time and methods best adapted to the pruning of trees, shrubs, and vines.	
Ill., 400 pp.	2.75

HOUGH, HANDBOOK OF TREES of the Northern States and Canada. A wonderfully instructive, photo-descriptive volume. An arboretum in book form. Ill., 470 pp.

THE CULTIVATION OF CITRUS FRUITS, by H. H. Hume. In a highly specialized industry such as citrus growing, new and practical information is essential. The author is a grower of long experience and his book is recognized as the best and most	
recent authority on the subject. Ill., 561 pp	5.25
TREES. Treating on a number of popular trees in a popular way. Ill., 241 pp	2.00
Ill., 256 pp	3.25
Felt. Ill., 382 pp	3.75
POPENOE, MANUAL OF TROPICAL AND SUBTROPICAL PLANTS. A complete manual discussing expertly a hundred and more tropical fruits.	4.80
Ill., 474 pp. RANKIN, MANUAL OF TREE DISEASES. Includes discussions of diseases common to all kinds of trees, such as damping-off of seedlings, temperature injuries to leaves and woody parts, etc., with special attention to tree surgery and spraying. Ill., 398 pp.	3.50
MANUAL OF CULTIVATED TREES AND SHRUBS, by Alfred Rehder. "An immense storehouse of information about cultivated trees and shrubs in concentrated form. A Supreme Court for decisions about plants."—The National Nurseryman. Detailed finding keys for all hardy trees and shrubs, especially complete as to the newer introductions. Ill., 967 pp.	10.80
PECAN GROWING, by H. P. Stuckey and E. J. Kyle. Practical details of the culture, propagation, insect and disease protection, harvesting, cracking and mar- keting of pecans. Includes the latest methods and practices of successful growers. Ill., 233 pp	3.25
TOUMEY, SEEDING AND PLANTING. This manual gives first-hand information for the guidance of all interested in the growing of trees from seed, by Prof. J. W. Toumey, of the Yale Forestry School. Ill., 455 pp.	4.25
WILSON, E. H. (CHINESE) ARISTOCRATS OF THE GARDEN. Indispensable to all who wish to know the best in hardy plant material. 312 pages, 26 illustrations	5.20
WILSON, E. H. (CHINESE) AMERICA'S GREATEST GARDEN. The story of Arnold Arboretum told by one who has added vastly to the wealth of its wonderful plant collections. 123 pages, 50 page illustrations	3.15
WILSON, E. H., PLANT HUNTING. Two volumes filled with adventure, glowing with the ardor of the explorer. As Keeper of the Arnold Arboretum the author is the highest authority on plants in this	
country. 2 vols., autographed, boxed	15.60
For deliveries of any books outside the U.S.A. add 30c per volume to the above delivered prices.	postage

WE MAIL OUR BOOKLETS, "FORESTS AND WOODLANDS FOR THE SOUTH" AND "HOW TO MAKE TREE SEEDS GROW," ON REQUEST WITH ALL ORDERS.

WE ARE ALWAYS IN THE MARKET FOR SEEDS OF TREES AND SHRUBS AND WELCOME OFFERS. IF YOU ARE IN THE MARKET FOR SEEDS NOT LISTED BY US, WRITE US.

PRACTICAL SEED TESTERS

It is of importance that tree seeds and other seeds be tested before planting. Our testers are dependable and very simply operated.

Small size, 6x9 in., \$4.00 net, f. o. b. here, no charge for packing. Large size, 9x13 in., \$5.00 net, f. o. b. here, no charge for packing.

Lining-Out Stock

We are not growers ourselves at this time of nursery stock of any kind, but we have so many calls, particularly for lining-out material, that we have arranged with some of the best nurseries in different sections of the country to supply the requirements of our patrons. We can promise the very best quality and attractive prices. As we can give here only a very abbreviated list, we request that our friends will kindly indicate their requirements so that we may submit quotations in direct correspondence.

or that the may exemit quetaster in another correct	0	•
	100	1000
Abies balsamea, Balsam Fir1-2 in.	\$2.50	\$18.00
" concolor, White Fir2-3 "	3.50	22.00
" concolor, White Fir	7.50	27.50
" pectinata, European Silver Fir	.4.50	27.50
Cedrus deodara, Deodar4-6 "	16.00	
Chamaecyparis obtusa, Hinoki Cypress1 "	2.00	14.00
Cupressus sempervirens, Italian Cypress2-3 "		27.50
" fastigiata, Pyramidal I. C	2.50	18.00
inorazontane, opicading i. o	2.50	18.00
Juniperus virginiana, Redcedar4-6 "	7.50	60.00
Picea excelsa, Norway Spruce2-3 "	1.80	13.00
" canadensis, White S1-2 "	2.50	18.00
" canadensis, Black Hills Spruce1-2 "	2.50	18.00
Dungens glauca, Colo. Dine S., 2 vi. S2-4	4.50	27.50
" sitchensis, Sitka S	2.50	18.00
Pinus densiflora, Japanese Red Pine3-4	3.50	22.00
" edulis, Nut P1-2 "	6.50	55.00
" montana, Swiss Mountain P	4.50	27.50
" mughus, Mugho P	4.50	27.50
" nigra, Austrian P2-4 "	2.50	18.00
" ponderosa, Western Yellow P2-3 "	2.50	18.00
" sylvestris, Scotch P2-3 "	2.50	18.00
"thunbergi, Japanese Black P2-3"	2.50	18.00
Pseudotsuga douglasi, Douglas Fir1-2 "	4.50	27.50
Taxodium distichum, Baldcypress12-18 "	8.00	50.00
Thuja occidentalis, Am. Arborvitae1-2 "	2.25	17.00
" orientalis, Oriental Av2-4	2.50	18.00
" aurea, Golden O. Av2-4 "	3.30	20.00
" compacta, Compact O. Av2-4 "	0.00	20.00
" " pyramidalis, Pyramidal O. Av2-4 '	2.50	18.00
" plicata, Giant Av1-2 "	1.40	12.00

TREES AND SHRUBS

Acer dasycarpum, Silver Maple6-12	in.	\$3.00	\$10.00
" . "	44	5.00	30.00
" platanoides, Norway M4-6	66	5.00	30.00
" " "	"	6.00	35.00
Buxus sempervirens, Tree Box4-6	"	8.50	60.00
" suffruticosa, Dwarf Box4-6	"	8.50	60.00
Catalpa speciosa, Western Catalpa6-12	. "	1.50	8.50
" "12-18	"	2.00	10.00
Cytisus scoparius, Scotch Broom12-18	"	12.00	
Fagus americana, American Beech6-12	66	5.00	30.00
Laurocerasus caroliniana, Cherry-Laurel8-12	66	4.00	32.00
Quercus alba, White Oak6-12	. 66	9.50	70.00
" coccinea, Scarlet Oak6-12	66	6.00	35.00
" macrocarpa, Mossycup Oak6-12	66	9.50	70.00
" palustris, Pink Oak6-12"	66	11.00	82.00
" rubra, Red Oak6-12	, Zi	6.00	35.00
Sophora japonica, Chinese Scholartree6-12	ě.	9.50	70.00
Yucca filamentosa, Common Yucca1 yr.		2.00	14.00
		•	

40 and 400 of one kind at 100 and 1000 rates.

F. O. B. nurseries. Packing free if orders are accompanied by remittance.

Woodsgrown Trees and Shrubs

We have for many years supplied woodsgrown trees and shrubs in very considerable quantities. This material is splendid value and is suitable for growing on or for landscape effects.

•		100	1000
Aronia arbutifolia, Red Chokeberry1-3	ft.	\$5.00	\$45.00
Azalea nudifiora, Pinxterbloom ¹ / ₂ -1	"	5.00	45.00
" viscosa, Swamp Azalea	"	4.50	40.00
Cercis canadensis, American Redbud1-3	"	6.00	55.00
Clethra alnifolia, Summersweet1-2	"	4.50	40.00
Cyrilla racemiflora, Swamp Ironwood1-2	46	5.00	45.00
Cornus florida, Flowering Dogwood1-3	66	4.50	40.00
Fothergilla major1-2	66	6.00	55.00
Hamamelis virginiana, Witch-hazel1-3	66	5.00	45.00
Ilex glabra, Inkberry1-2	44	5.00	45.00
" opaca, American Holly1-2	"	5.00	45.00
" verticillata, Common Winterberry1-2	"	4.50	40.00
Leucothoe catesbaei, Drooping Laurel1-2	66	4.00	35.00
Liquidambar styraciflua, Sweetgum1-3	"	4.50	40.00
Magnolia glauca, Sweetbay1-2	66	6.00	55.00
Myrica cerifera, Bayberry1-2	66	4.00	35.00
Nyssa sylvatica, Tupelo1-2	64	4.50	40.00
Oxydendrum arboreum, Sourwood1-2	. "	4.50	40.00
Pieris lucida (nitida), Fetterbush1-2	44	4.50	40.00
Robinia hispida, Rose-acacia1-2	"	4.00	35.00
Stewartia pentagyna, Mountain Ash1-2	"	8.50	70.00
Viburnum cassinoides, Witherod1-3	66	4.00	35.00
" nudum, Smooth Witherod1-3	44	4.00	35.00
" prunifolium, Blackhaw1-2	6.6	5.00	45.00
Vinca minor, Periwinkle, Clumps 8-12 Stems		3.50	30.00
F. O. B. Atlanta or collector's point, packing a	t cost	40 :	and 400

F. O. B. Atlanta or collector's point, packing at cost. 40 and 400 at 100 and 1000 prices. Special quantity prices.

DISINFECT YOUR SEEDS-CONTROL "DAMPING-OFF" With



SEMESAN acts as an antiseptic that either kills or retards the development of disease-producing bacteria and fungi which subsist on seeds Makes Seeds Healthy and plants. This one anti-septic, SEMESAN, is sufficient for all forms of "damping-off" disinfection, whether it be applications to seeds, or soils, seedlings and cuttings.

A single application of liquid SEMESAN to control "damping-off" costs about 1½c per 10 square feet of disinfected area. Seed treatment is still cheaper, costing only from 1/4c per pound of seed for liquid applications to a maximum per pound for dust treatments. Write us for booklets describing SEMESAN.

Sold in tin containers—2 oz., 50c; 8 oz., \$1.60; 1 lb., \$2.75; 5 lbs., \$13.00; 25 lbs. can, \$62.50.

and transportation charges.

Manufactured by

E. I. du Pont de Nemours & Co., Inc. Dyestuffs Department Wilmington, Del.

USPULUN

(The Bayer Co., Inc.)

vitalizes seedlings and cutting by removing fungi from seed and soil. Seed treated with Uspulun can be stored away for a length of time (but not indefinitely) without harm to the seed.

DIPDUST

is easily applied and inexpensive to use. Seeds, like humans, are susceptible to disease. One cannot always see disease, but can discern the results in poor germination, weak, spindly plants and low yields of poor quality crops. Disinfecting tree seeds, flower seeds, vegetable and field seeds with DIPDUST before planting helps to prevent destructive diseases that cost growers many millions of dollars annually.

Uspulun..... \$0.50 dos. 4 Oz. Lb. 5 Lbs. 25 Lbs. 50 Lbs. 100 Lbs. Uspulun..... \$0.50 \$2.75 \$13.00 \$62.50 \$122.50 \$240.00 Dipdust..... .50 1.75 8.00 37.50 72.50

and transportation charges.

Descriptive booklets on request.

Since these Mercury preparations are poisonous compounds they cannot be admitted to the mails but must be sent by express or freight.